

Please read right through this leaflet before you start using this medicine.

This medicine is available without prescription, but you still need to use Flixonase Allergy Relief Nasal Spray carefully to get the best results from it. Keep this leaflet you may need to read it again.

If you have any questions, or if there is anything you do not understand, ask

# your pharmacist.

### In this leaflet: 1. What Flixonase Allergy Relief does

2. Check before you use Flixonase Alleray Relief 3. How to use Flixonase Alleray Relief

4. Possible side effects

5. How to store Flixonase Allergy Relief 6. Further information

# 1. What Flixonase Allergy Relief does

# Flixonase Allergy Relief treats and prevents allergic rhinitis caused by airborne

allergies including hayfever, house dust mites and animal dander. It helps to relieve the symptoms of allergic rhinitis, such as sneezing, itchy and watery eyes and a runny, itchy or blocked-up nose, for up to 24 hours. The active ingredient is fluticasone propionate, a corticosteroid which, when used every day, has an

anti-inflammatory action and works in a similar way to natural body chemicals to control inflammation. This spray helps to control your body's reactions to allergens ('triggers') • Do not spray more than 8 sprays (400 micrograms) in a day. • Do not use in children or adolescents under 18 years of age. Intranasal corticosteroids may cause children to grow more slowly.

· Use the lowest dose possible to control your symptoms. If your symptoms have not improved after 7 days, stop using the

spray and speak to your doctor. If your symptoms have improved after 7 days, but not enough,

speak to your doctor or pharmacist for advice. Do not use more than the recommended dose.

. for more than 6 months unless your doctor tells you to.

Take special care and check with your doctor before you take this medicine

. If you have a high temperature, cold or if you have or recently had a nasal or sinus infection.

. If you have recently had surgery, an injury or ulcers in your nose.

If you are taking other medicines

if you are under 18 years.


Talk to your doctor or pharmacist before using this medicine if you are taking any medicines: particularly corticosteroid medicines (including eczema creams. asthma inhalers, tablets, injections, nasal sprays, and eye or nose drops); or ketoconazole (for fungal infections). You must not use this product if you are taking Ritonavir (an anti-HIV medicine) unless told by your doctor.


# Pregnancy and breastfeeding

Talk to your doctor before using Flixonase Allergy Relief if you are pregnant. trying to become pregnant or are breastfeeding.

### 3. How to use Flixonase Alleray Relief Always shake well before use. Only use in the nose. Do not swallow.

Make sure you don't get the spray in your eyes. Flixonase Allergy Relief quickly starts to reduce inflammation and swelling in your nose, although it may take 3 or 4 days to build up to its maximum protective effect. To prevent the onset of symptoms, start to use Flixonase Allergy Relief before exposure to one of your usual 'triggers'. You should try to use the spray in the morning.







If you use too many sprays

If you forget to use the spray

Take your next dose at the usual time. Never take two doses together.

Before using a new bottle of Flixonase Allergy Relief:

either side of the nozzle and your thumb underneath the bottle.

Your Flixonase Allergy Relief spray has a dust cap which protects the nozzle and

Before you start to use a new bottle of Flixonase Allergy Relief, or if you have

. Hold the bottle as shown with your forefinger and middle finger on the collar

When doing this make sure you do not point the nozzle at yourself or someone else.

If the spray still doesn't work, try to clean it as described under the 'To clean the

spray' section. Do not try to unblock or enlarge the tiny spray hole with a pin or

Keeping your thumb still, press down with your fingers to pump the spray

keens it clean. Remember to take it off before you use the spray (Picture 1) and

not used the spray for a few days, press the pump down several times until you

Seek medical advice immediately.

to replace it after use.

get a fine spray.

(Picture 2).



## in the environment. 2. Check before you use Flixonase Allergy Relief



• if you have ever had an allergic reaction to fluticasone propionate or to any of the other ingredients (listed in Section 6).

## DEVCOMP-0003004



- Shake the bottle well and remove the dust cap.
- 2. Blow your nose gently.
- 3. Close one nostril as shown and put the nozzle in the other nostril. Tilt your head forward slightly and keep the bottle upright. Hold the bottle as shown (Picture 3) 4. Start to breathe in slowly through your nose. While you are breathing in, squirt
- a spray of fine mist into your nostril by pressing down firmly on the collar with 5. Breathe out through your mouth. Repeat step 4 to take a second spray in the
- 6. Remove the nozzle from this nostril and breathe out through your mouth (Picture 5). 7. Repeat steps 3 to 6 for the other nostril.
- 8. After using the spray, wipe the nozzle carefully with a clean tissue or handkerchief and replace the dust cap.

your fingers (Picture 4).

same nostril.







## To clean the spray:

OFTEN IF IT GETS BLOCKED.

- 1. Take the dust cap and nozzle off (Picture 6). 2. Soak the nozzle and dust cap in warm water for a few minutes and then rinse
- under a running tap. 3. Shake off the excess water and allow to dry in a warm place - not too hot!
- 4. Re-fit the nozzle.
- 5. If necessary, press the pump down several times until you get a fine spray. YOUR NASAL SPRAY SHOULD BE CLEANED AT LEAST ONCE A WEEK OR MORE



### 4. Possible side effects Like all medicines, Flixonase Allergy Relief can have side effects, but not

machines. Stop taking the medicine and seek immediate medical help if you experience: Allergic reactions. These may include developing a rash, swelling of the mouth

or face, having difficulty breathing or feeling faint. Stop taking the medicine and tell your doctor if you experience:

- Eve problems such as pain or blurred vision.
- Nasal problems such as pain and/or persistent bleeding.
- The following side effects may occur:
- Sneezing after using the spray but this soon stops.
- You may notice an unpleasant taste or smell.
- Nose bleeds.
- . Dryness or irritation in the nose or throat.

- Headache.
- . Small holes (perforations) in the ridge inside the nose that separates the nostrils.

It is important to follow the dose instructions shown in Section 3. Using Flixonase

Allergy Relief at higher doses or for longer than 3 months at a time can cause a

- number of changes in your body such as catching infections more easily. If you do get any side effects, even those not mentioned in this leaflet, tell your doctor or pharmacist.

### 5. How to store Flixonase Allergy Relief Keep out of the reach and sight of children.

Do not store above 30°C. Do not refrigerate. Do not use this medicine after the "Use by end of:" date shown on the label and

carton. Use within three months of first use. If you are told to stop taking this medicine RETURN ANY UNUSED FLIXONASE TO

YOUR PHARMACIST to be destroyed. 6. Further information

Active ingredient Each spray contains

Fluticasone Propionate 50 micrograms. Other ingredients Microcrystalline cellulose and carmelose sodium, glucose

(anhydrous), polysorbate 80, purified water, dilute hydrochloric acid and the preservatives benzalkonium chloride and phenylethyl alcohol. The bottle contains 60 sprays.

The marketing authorisation holder is GlaxoSmithKline Consumer Healthcare

(Ireland) Ltd., trading as Allen & Hanbury's, Stonemasons Way, Rathfamham,

everybody gets them. It won't cause drowsiness, so you can still drive or use

Dublin 16 and all enquiries should be sent to this address. The manufacturer is Glaxo Wellcome SA, 09400 Aranda de Duero. Burgos, Spain.

This leaflet was last revised in October 2013. The information in this leaflet only applies to Flixonase Allergy Relief

Nasal Spray. Flixonase and the Flixonase Allergy Relief logo are trade marks of the

GlaxoSmithKline group of companies.

PA 678/95/1

